## LISTING OF THE CLAIMS

The following listing of claims is included for convenience only. No new amendments are included in the claims.

- (Original) A method of evaluating a data mining algorithm, the method comprising:
   obtaining a set of goals for the data mining algorithm;
   assigning a weight to each goal in the set of goals;
   applying the data mining algorithm to a dataset; and
   calculating a performance value for the data mining algorithm based on the set of weights
   and a set of results for the applying step.
- (Original) The method of claim 1, wherein the assigning step includes: identifying a set of error cases for each goal in the set of goals; and assigning a weight to each error case in the set of error cases.
- (Original) The method of claim 2, wherein the assigning step includes: obtaining an acceptability for an error case; and calculating the weight based on the acceptability.
- 4. (Original) The method of claim 2, wherein the calculating step includes: determining an error rate for each error case based on the set of results; and

calculating an error vector for each error case based on the error rate and error weight for the error case.

- 5. (Original) The method of claim 4, wherein the calculating step further includes summing the error vectors for the set of error cases to obtain the performance value.
- (Original) The method of claim 1, further comprising comparing the performance value to an
  acceptable performance value.
- 7. (Original) A method of evaluating a set of data mining algorithms, the method comprising: selecting the set of data mining algorithms; obtaining a set of goals for the set of data mining algorithms; assigning a weight to each goal in the set of goals;

calculating a performance value for each data mining algorithm based on the set of weights and a set of results for the applying step.

- 8. (Original) The method of claim 7, wherein the selecting step is based on the set of goals.
- 9. (Original) The method of claim 7, wherein the selecting step includes:

applying each data mining algorithm to a dataset; and

selecting a business taxonomy;

selecting a business problem based on the business taxonomy; and

selecting the set of data mining algorithms based on the business problem.

- 10. (Original) The method of claim 7, further comprising ranking the set of data mining algorithms based on the performance values.
- 11. (Original) The method of claim 7, wherein the assigning step includes: identifying a set of error cases for each goal; and assigning a weight to each error case in the set of error cases.
- 12. (Original) The method of claim 7, wherein the set of data mining algorithms includes at least one data mining algorithm having a first set of parameter values and the at least one data mining algorithm having a second set of parameter values.
- 13. (Original) The method of claim 7, further comprising: selecting a data mining algorithm in the set of data mining algorithms; and generating a data mining model based on the selected data mining algorithm.
- 14. (Withdrawn) A system for evaluating a set of data mining algorithms having a set of goals, the system comprising:
  - an assignment system for assigning a weight to each goal in the set of goals; an application system for applying each data mining algorithm to a dataset; and

- a performance system for calculating a performance value for each data mining algorithm based on the weights assigned to the set of goals and a set of results for the applying step.
- 15. (Withdrawn) The system of claim 14, further comprising a selection system for selecting the set of data mining algorithms.
- 16. (Withdrawn) The system of claim 14, further comprising a ranking system for ranking the set of data mining algorithms based on the performance values.
- 17. (Withdrawn) The system of claim 14, further comprising a summary system for displaying the performance values for at least some of the set of data mining algorithms to a user.
- 18. (Withdrawn) The system of claim 14, further comprising a generation system for generating a data mining model based on a data mining algorithm selected from the set of data mining algorithms.
- 19. (Withdrawn) The system of claim 14, wherein the application system applies the set of data mining algorithms in parallel.
- 20. (Withdrawn) A program product stored on a recordable medium for evaluating a set of data mining algorithms having a set of goals, which when executed comprises:

program code for assigning a weight to each goal in the set of goals;

program code for applying each data mining algorithm to a dataset; and

program code for calculating a performance value for each data mining algorithm based

on the weights assigned to the set of goals and a set of results for the applying step.

- 21. (Withdrawn) The program product of claim 20, further comprising program code for selecting the set of data mining algorithms.
- 22. (Withdrawn) The program product of claim 20, further comprising program code for ranking the set of data mining algorithms based on the performance values.